

bu Jan 17-23 1995.log

RCS file: /p/cvsroot/atlas/BOM,v

Working file: atlas/BOM

head: 7.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 7.0

keyword substitution: kv

total revisions: 1799; selected revisions: 6

description:

revision 2.6

date: 1995/01/19 05:16:01; author: geert; state: Exp; lines: +2 -2

Release Target: atlas/doc

clean and build

Geert

revision 2.5

date: 1995/01/19 05:11:19; author: geert; state: Exp; lines: +2 -2

Release Target: atlas/doc

Added clean-mecahnism

Geert

revision 2.4

date: 1995/01/19 05:07:25; author: geert; state: Exp; lines: +2 -2

Release Target: atlas

Makefile.defs

Added .html rules

Geert

revision 2.3

date: 1995/01/19 05:00:43; author: geert; state: Exp; lines: +5 -1

Release Target: atlas

welcome.ht

Initial release

Geert

revision 2.2

date: 1995/01/19 04:59:27; author: geert; state: Exp; lines: +5 -1

Release Target: atlas/doc

Initial release

Geert

revision 2.1

date: 1995/01/19 04:49:51; author: geert; state: Exp; lines: +5 -1

Release Target: atlas

Makefile.rules

Initial release

Geert

bu Jan 17-23 1995.log

=====

RCS file: /p/cvsroot/atlas/Makefile,v

working file: atlas/Makefile

head: 1.11

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.11

keyword substitution: kv

total revisions: 11; selected revisions: 1

description:

revision 1.2

date: 1995/01/17 18:53:52; author: wingard; state: Exp; lines: +2 -1

Add defs and rules for the HTML documentation tree

=====

RCS file: /p/cvsroot/atlas/Makefile.defs,v

working file: atlas/Makefile.defs

head: 1.62

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.62

keyword substitution: kv

total revisions: 62; selected revisions: 2

description:

revision 1.3

date: 1995/01/18 20:37:34; author: geert; state: Exp; lines: +2 -2

Changed path to the doc.h file

revision 1.2

date: 1995/01/17 18:53:54; author: wingard; state: Exp; lines: +33 -1

Add defs and rules for the HTML documentation tree

=====

RCS file: /p/cvsroot/atlas/Makefile.rules,v

working file: atlas/Makefile.rules

head: 2.16

branch:

locks: strict

access list:

symbolic names:

b4_rich: 2.16

keyword substitution: kv

total revisions: 16; selected revisions: 2

description:

revision 2.2

date: 1995/01/18 18:23:50; author: wingard; state: Exp; lines: +2 -2

Initial version of home page.

Fix typo in DOC_INCLUDE call in Makefile.rules

revision 2.1

date: 1995/01/17 18:53:56; author: wingard; state: Exp;

Add defs and rules for the HTML documentation tree

=====

RCS file: /p/cvsroot/atlas/welcome.ht,v

bu Jan 17-23 1995.log

working file: atlas/welcome.ht

head: 2.6

branch:

locks: strict

access list:

symbolic names:

b4_rich: 2.6

keyword substitution: kv

total revisions: 6; selected revisions: 1

description:

revision 2.1

date: 1995/01/18 18:23:52; author: wingard; state: Exp;

Initial version of home page.

Fix typo in DOC_INCLUDE call in Makefile.rules
=====

RCS file: /p/cvsroot/atlas/doc/Attic/.checkoutrc,v

working file: atlas/doc/.checkoutrc

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 2.2

date: 1995/01/19 05:15:19; author: geert; state: Exp; lines: +2 -2

Added clean-make

Geert

revision 2.1

date: 1995/01/19 04:58:30; author: geert; state: Exp;

Initial check-in

Geert
=====

RCS file: /p/cvsroot/atlas/doc/BOM,v

working file: atlas/doc/BOM

head: 37.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 37.0

keyword substitution: kv

total revisions: 83; selected revisions: 8

description:

releasebom adding BOM

revision 5.0

date: 1995/01/19 05:15:51; author: geert; state: Exp; lines: +1 -1

Release Target: atlas/doc

clean and build

Geert

revision 4.1

bu Jan 17-23 1995.log
date: 1995/01/19 05:15:45; author: geert; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r

revision 4.0
date: 1995/01/19 05:11:09; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

Added clean-mecahnism

Geert

revision 3.1
date: 1995/01/19 05:11:02; author: geert; state: Exp; lines: +3 -2
releasebom: File needs to be up-to-date to use commit -r

revision 3.0
date: 1995/01/19 04:59:18; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

Initial release

Geert

revision 2.1
date: 1995/01/19 04:59:11; author: geert; state: Exp; lines: +2 -1
releasebom: File needs to be up-to-date to use commit -r

revision 2.0
date: 1995/01/18 18:27:30; author: wingard; state: Exp; lines: +1 -1
Release Target: atlas

First version of HTML-based documentation system, with a few early
documentation files.

revision 1.1
date: 1995/01/18 18:27:22; author: wingard; state: Exp;
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/doc/Attic/Makefile,v

working file: atlas/doc/Makefile

head: 1.13

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 13; selected revisions: 3

description:

revision 1.3
date: 1995/01/19 05:09:00; author: geert; state: Exp; lines: +3 -1
Added clean mecahnism

Geert

revision 1.2
date: 1995/01/18 18:24:36; author: wingard; state: Exp; lines: +2 -2
Add whats_new and documentation overview
Improve doc.h macros

revision 1.1
date: 1995/01/17 18:54:29; author: wingard; state: Exp;

bu Jan 17-23 1995.log
Beginnings of the HTML documentation scheme. More to come...

RCS file: /p/cvsroot/atlas/doc/clean-request,v
working file: atlas/doc/clean-request
head: 3.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 3.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 3.1
date: 1995/01/19 05:09:02; author: geert; state: Exp;
Added clean mecahnism

Geert

RCS file: /p/cvsroot/atlas/doc/decisions.ht,v
working file: atlas/doc/decisions.ht
head: 1.8
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.8
keyword substitution: kv
total revisions: 8; selected revisions: 5
description:

revision 1.5
date: 1995/01/18 18:24:38; author: wingard; state: Exp; lines: +5 -3
Add whats_new and documentation overview
Improve doc.h macros

revision 1.4
date: 1995/01/17 19:18:24; author: wingard; state: Exp; lines: +1 -1
AAARGGGH Fourth try

revision 1.3
date: 1995/01/17 19:17:56; author: wingard; state: Exp; lines: +1 -1
Third try at getting CVS \$Id\$ string right...

revision 1.2
date: 1995/01/17 19:16:35; author: wingard; state: Exp; lines: +1 -1
Fix RCS version info string so it doesn't take up so much space

revision 1.1
date: 1995/01/17 18:54:31; author: wingard; state: Exp;
Beginnings of the HTML documentation scheme. More to come...

RCS file: /p/cvsroot/atlas/doc/Attic/doc.h,v
working file: atlas/doc/doc.h
head: 1.2
branch:
locks: strict
access list:
symbolic names:

bu Jan 17-23 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.2
date: 1995/01/18 18:24:40; author: wingard; state: Exp; lines: +4 -1
Add whats_new and documentation overview
Improve doc.h macros

revision 1.1
date: 1995/01/17 18:54:33; author: wingard; state: Exp;
Beginnings of the HTML documentation scheme. More to come...
=====

RCS file: /p/cvsroot/atlas/doc/Attic/documentation.ht,v
working file: atlas/doc/documentation.ht
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.2
date: 1995/01/19 17:58:01; author: wingard; state: Exp; lines: +4 -4
Fix URL to HTML Primer...

revision 1.1
date: 1995/01/18 18:24:42; author: wingard; state: Exp;
Add whats_new and documentation overview
Improve doc.h macros
=====

RCS file: /p/cvsroot/atlas/doc/Attic/whats_new.ht,v
working file: atlas/doc/whats_new.ht
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/18 18:24:44; author: wingard; state: Exp;
Add whats_new and documentation overview
Improve doc.h macros
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvandff17qm/Attic/spice.1.1,v
working file: atlas/ged/xv/xvandff17qm/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

bu Jan 17-23 1995.log

revision 1.1

date: 1995/01/21 19:32:34; author: ong; state: Exp;
initial check in of stdcell template schematic

RCS file: /p/cvsroot/atlas/ged/xv/xvandffb17qm/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvandffb17qm/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1

date: 1995/01/21 19:32:36; author: ong; state: Exp;
initial check in of stdcell template schematic

RCS file: /p/cvsroot/atlas/ged/xv/xvandffb17qm/Attic/body.1.1,v
working file: atlas/ged/xv/xvandffb17qm/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1

date: 1995/01/21 22:05:29; author: ong; state: Exp;
New bodies added or bodies modified

RCS file: /p/cvsroot/atlas/ged/xv/xvandffb17qm/Attic/body.2.1,v
working file: atlas/ged/xv/xvandffb17qm/body.2.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1

date: 1995/01/21 22:05:31; author: ong; state: Exp;
New bodies added or bodies modified

RCS file: /p/cvsroot/atlas/ged/xv/xvandffb17qm/Attic/spice.1.1,v
working file: atlas/ged/xv/xvandffb17qm/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

bu Jan 17-23 1995.log

revision 1.1
date: 1995/01/21 22:05:33; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvandffb17qm/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvandffb17qm/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 22:05:35; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvandlb17qm/Attic/body.1.1,v
working file: atlas/ged/xv/xvandlb17qm/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:32:45; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvandlb17qm/Attic/body.2.1,v
working file: atlas/ged/xv/xvandlb17qm/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.2
date: 1995/01/21 22:05:39; author: ong; state: Exp; lines: +66 -66
New bodies added or bodies modified

revision 1.1
date: 1995/01/21 19:32:47; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvandlb17qm/Attic/spice.1.1,v
working file: atlas/ged/xv/xvandlb17qm/spice.1.1
head: 1.2
branch:
locks: strict

bu Jan 17-23 1995.log

access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:32:41; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvandlb17qm/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvandlb17qm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:32:43; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvffbqm/Attic/body.1.1,v
working file: atlas/ged/xv/xvffbqm/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 22:05:42; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvffbqm/Attic/body.2.1,v
working file: atlas/ged/xv/xvffbqm/body.2.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 22:05:44; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvffbqm/Attic/spice.1.1,v
working file: atlas/ged/xv/xvffbqm/spice.1.1
head: 1.2
branch:

bu Jan 17-23 1995.log

locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.2
date: 1995/01/21 22:05:46; author: ong; state: Exp; lines: +3 -3
New bodies added or bodies modified

revision 1.1
date: 1995/01/21 19:32:52; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvffbm/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvffbm/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:32:54; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvinvm/Attic/body.1.1,v
working file: atlas/ged/xv/xvinvm/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:33:02; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvinvm/Attic/spice.1.1,v
working file: atlas/ged/xv/xvinvm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:32:58; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

bu Jan 17-23 1995.log

RCS file: /p/cvsroot/atlas/ged/xv/xvinvm/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvinvm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:33:00; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvlataqm/Attic/body.1.1,v
working file: atlas/ged/xv/xvlataqm/body.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.2
date: 1995/01/21 22:05:50; author: ong; state: Exp; lines: +18 -18
New bodies added or bodies modified

revision 1.1
date: 1995/01/21 19:33:10; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvlataqm/Attic/body.2.1,v
working file: atlas/ged/xv/xvlataqm/body.2.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 22:05:52; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvlataqm/Attic/spice.1.1,v
working file: atlas/ged/xv/xvlataqm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

bu Jan 17-23 1995.log

revision 1.1
date: 1995/01/21 19:33:07; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvlataqm/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvlataqm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:33:09; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvlatbqm/Attic/body.1.1,v
working file: atlas/ged/xv/xvlatbqm/body.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.2
date: 1995/01/21 22:05:55; author: ong; state: Exp; lines: +19 -19
New bodies added or bodies modified

revision 1.1
date: 1995/01/21 19:33:20; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvlatbqm/Attic/body.2.1,v
working file: atlas/ged/xv/xvlatbqm/body.2.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 22:05:57; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvlatbqm/Attic/spice.1.1,v
working file: atlas/ged/xv/xvlatbqm/spice.1.1
head: 1.2
branch:
locks: strict

bu Jan 17-23 1995.log

access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:33:16; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvlatbqm/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvlatbqm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:33:18; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8nm/Attic/body.1.1,v
working file: atlas/ged/xv/xvmux8nm/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 22:06:01; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8nm/Attic/body.2.1,v
working file: atlas/ged/xv/xvmux8nm/body.2.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 22:06:02; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8nm/Attic/spice.1.1,v
working file: atlas/ged/xv/xvmux8nm/spice.1.1
head: 1.2
branch:

bu Jan 17-23 1995.log

locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:33:25; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8nm/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvmux8nm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:33:27; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8qm/Attic/body.1.1,v
working file: atlas/ged/xv/xvmux8qm/body.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.2
date: 1995/01/21 22:06:06; author: ong; state: Exp; lines: +45 -45
New bodies added or bodies modified

revision 1.1
date: 1995/01/21 19:33:36; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8qm/Attic/body.2.1,v
working file: atlas/ged/xv/xvmux8qm/body.2.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 22:06:07; author: ong; state: Exp;
New bodies added or bodies modified
=====

bu Jan 17-23 1995.1og

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8qm/Attic/spice.1.1,v
working file: atlas/ged/xv/xvmux8qm/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:33:32; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8qm/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvmux8qm/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:33:34; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmuxff8nm/Attic/body.1.1,v
working file: atlas/ged/xv/xvmuxff8nm/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 22:06:11; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmuxff8nm/Attic/body.2.1,v
working file: atlas/ged/xv/xvmuxff8nm/body.2.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 22:06:12; author: ong; state: Exp;
New bodies added or bodies modified

bu Jan 17-23 1995.log

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xvmuxff8nm/Attic/spice.1.1,v
working file: atlas/ged/xv/xvmuxff8nm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.2
date: 1995/01/21 22:06:14; author: ong; state: Exp; lines: +31 -40
New bodies added or bodies modified
-----
revision 1.1
date: 1995/01/21 19:33:40; author: ong; state: Exp;
initial check in of stdcell template schematic
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xvmuxff8nm/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvmuxff8nm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.2
date: 1995/01/21 22:06:16; author: ong; state: Exp; lines: +66 -66
New bodies added or bodies modified
-----
revision 1.1
date: 1995/01/21 19:33:43; author: ong; state: Exp;
initial check in of stdcell template schematic
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xvmux1b8nm/Attic/body.1.1,v
working file: atlas/ged/xv/xvmux1b8nm/body.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.2
date: 1995/01/21 22:06:19; author: ong; state: Exp; lines: +54 -53
New bodies added or bodies modified
-----
revision 1.1
date: 1995/01/21 19:33:53; author: ong; state: Exp;
initial check in of stdcell template schematic
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xvmux1b8nm/Attic/body.2.1,v
```


bu Jan 17-23 1995.log
working file: atlas/ged/xv/xvmuxlb8nm/body.2.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 22:06:21; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmuxlb8nm/Attic/spice.1.1,v
working file: atlas/ged/xv/xvmuxlb8nm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:33:48; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmuxlb8nm/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvmuxlb8nm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:33:50; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvnand4nm/Attic/body.1.1,v
working file: atlas/ged/xv/xvnand4nm/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 22:06:24; author: ong; state: Exp;
New bodies added or bodies modified
=====

```

                                bu Jan 17-23 1995.log
RCS file: /p/cvsroot/atlas/ged/xv/xvnand4nm/Attic/body.2.1,v
working file: atlas/ged/xv/xvnand4nm/body.2.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 1.1
date: 1995/01/21 22:06:26; author: ong; state: Exp;
New bodies added or bodies modified
=====

```

```

RCS file: /p/cvsroot/atlas/ged/xv/xvnand4nm/Attic/spice.1.1,v
working file: atlas/ged/xv/xvnand4nm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
-----
revision 1.1
date: 1995/01/21 19:33:57; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

```

```

RCS file: /p/cvsroot/atlas/ged/xv/xvnand4nm/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvnand4nm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
-----
revision 1.1
date: 1995/01/21 19:33:59; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

```

```

RCS file: /p/cvsroot/atlas/ged/xv/xvnor4nm/Attic/body.1.1,v
working file: atlas/ged/xv/xvnor4nm/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 1.1
date: 1995/01/21 22:06:29; author: ong; state: Exp;
New bodies added or bodies modified
=====

```

bu Jan 17-23 1995.log

RCS file: /p/cvsroot/atlas/ged/xv/xvnr4nm/Attic/body.2.1,v
working file: atlas/ged/xv/xvnr4nm/body.2.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 22:06:31; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvnr4nm/Attic/spice.1.1,v
working file: atlas/ged/xv/xvnr4nm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:34:04; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvnr4nm/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvnr4nm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:34:06; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvor1a17qm/Attic/body.1.1,v
working file: atlas/ged/xv/xvor1a17qm/body.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.2
date: 1995/01/21 22:06:34; author: ong; state: Exp; lines: +70 -70
New bodies added or bodies modified

bu Jan 17-23 1995.log

revision 1.1
date: 1995/01/21 19:34:15; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvor1a17qm/Attic/body.2.1,v
working file: atlas/ged/xv/xvor1a17qm/body.2.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 22:06:36; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvor1a17qm/Attic/spice.1.1,v
working file: atlas/ged/xv/xvor1a17qm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:34:11; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvor1a17qm/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvor1a17qm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:34:13; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas2/BOM,v
working file: atlas2/BOM
head: 201.2755
branch:
locks: strict
access list:
symbolic names:
b4_rich: 201.2700
keyword substitution: kv

bu Jan 17-23 1995.log
total revisions: 4418; selected revisions: 6
description:

revision 2.6
date: 1995/01/19 05:16:01; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/doc

clean and build

Geert

revision 2.5
date: 1995/01/19 05:11:19; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/doc

Added clean-mecahnism

Geert

revision 2.4
date: 1995/01/19 05:07:25; author: geert; state: Exp; lines: +2 -2
Release Target: atlas
Makefile.defs

Added .html rules

Geert

revision 2.3
date: 1995/01/19 05:00:43; author: geert; state: Exp; lines: +5 -1
Release Target: atlas
welcome.ht

Initial release

Geert

revision 2.2
date: 1995/01/19 04:59:27; author: geert; state: Exp; lines: +5 -1
Release Target: atlas/doc

Initial release

Geert

revision 2.1
date: 1995/01/19 04:49:51; author: geert; state: Exp; lines: +5 -1
Release Target: atlas
Makefile.rules

Initial release

Geert

=====
RCS file: /p/cvsroot/atlas2/Makefile,v
working file: atlas2/Makefile
head: 200.24
branch:
locks: strict
access list:
symbolic names:
b4_rich: 200.24

bu Jan 17-23 1995.log

keyword substitution: kv
total revisions: 35; selected revisions: 1
description:

revision 1.2
date: 1995/01/17 18:53:52; author: wingard; state: Exp; lines: +2 -1
Add defs and rules for the HTML documentation tree
=====

RCS file: /p/cvsroot/atlas2/Makefile.defs,v
working file: atlas2/Makefile.defs
head: 200.39
branch:
locks: strict
access list:
symbolic names:

b4_rich: 200.39
keyword substitution: kv
total revisions: 99; selected revisions: 2
description:

revision 1.3
date: 1995/01/18 20:37:34; author: geert; state: Exp; lines: +2 -2
Changed path to the doc.h file

revision 1.2
date: 1995/01/17 18:53:54; author: wingard; state: Exp; lines: +33 -1
Add defs and rules for the HTML documentation tree
=====

RCS file: /p/cvsroot/atlas2/Makefile.rules,v
working file: atlas2/Makefile.rules
head: 200.15
branch:
locks: strict
access list:
symbolic names:

b4_rich: 200.15
keyword substitution: kv
total revisions: 32; selected revisions: 2
description:

revision 2.2
date: 1995/01/18 18:23:50; author: wingard; state: Exp; lines: +2 -2
Initial version of home page.
Fix typo in DOC_INCLUDE call in Makefile.rules

revision 2.1
date: 1995/01/17 18:53:56; author: wingard; state: Exp;
Add defs and rules for the HTML documentation tree
=====

RCS file: /p/cvsroot/atlas2/welcome.ht,v
working file: atlas2/welcome.ht
head: 200.4
branch:
locks: strict
access list:
symbolic names:

b4_rich: 200.4
keyword substitution: kv
total revisions: 11; selected revisions: 1
description:

bu Jan 17-23 1995.log

revision 2.1
date: 1995/01/18 18:23:52; author: wingard; state: Exp;
Initial version of home page.
Fix typo in DOC_INCLUDE call in Makefile.rules
=====

RCS file: /p/cvsroot/atlas2/doc/Attic/.checkoutrc,v
working file: atlas2/doc/.checkoutrc
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 2.2
date: 1995/01/19 05:15:19; author: geert; state: Exp; lines: +2 -2
Added clean-make

Geert

revision 2.1
date: 1995/01/19 04:58:30; author: geert; state: Exp;
Initial check-in

Geert

=====

RCS file: /p/cvsroot/atlas2/doc/BOM,v
working file: atlas2/doc/BOM
head: 208.0
branch:
locks: strict
access list:
symbolic names:
b4_rich: 203.0
keyword substitution: kv
total revisions: 101; selected revisions: 8
description:
releasebom adding BOM

revision 5.0
date: 1995/01/19 05:15:51; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

clean and build

Geert

revision 4.1
date: 1995/01/19 05:15:45; author: geert; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r

revision 4.0
date: 1995/01/19 05:11:09; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

Added clean-mecahnism

Geert

bu Jan 17-23 1995.log

revision 3.1
date: 1995/01/19 05:11:02; author: geert; state: Exp; lines: +3 -2
releasebom: File needs to be up-to-date to use commit -r

revision 3.0
date: 1995/01/19 04:59:18; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

Initial release

Geert

revision 2.1
date: 1995/01/19 04:59:11; author: geert; state: Exp; lines: +2 -1
releasebom: File needs to be up-to-date to use commit -r

revision 2.0
date: 1995/01/18 18:27:30; author: wingard; state: Exp; lines: +1 -1
Release Target: atlas

First version of HTML-based documentation system, with a few early
documentation files.

revision 1.1
date: 1995/01/18 18:27:22; author: wingard; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/doc/Attic/Makefile,v
working file: atlas2/doc/Makefile
head: 1.13
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13; selected revisions: 3
description:

revision 1.3
date: 1995/01/19 05:09:00; author: geert; state: Exp; lines: +3 -1
Added clean mecahnism

Geert

revision 1.2
date: 1995/01/18 18:24:36; author: wingard; state: Exp; lines: +2 -2
Add whats_new and documentation overview
Improve doc.h macros

revision 1.1
date: 1995/01/17 18:54:29; author: wingard; state: Exp;
Beginnings of the HTML documentation scheme. More to come...
=====

RCS file: /p/cvsroot/atlas2/doc/clean-request,v
working file: atlas2/doc/clean-request
head: 200.0
branch:
locks: strict
access list:
symbolic names:

bu Jan 17-23 1995.log

b4_rich: 200.0
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 3.1
date: 1995/01/19 05:09:02; author: geert; state: Exp;
Added clean mechanism

Geert

=====

RCS file: /p/cvsroot/atlas2/doc/decisions.ht,v
working file: atlas2/doc/decisions.ht
head: 200.1
branch:
locks: strict
access list:
symbolic names:
b4_rich: 200.0
keyword substitution: kv
total revisions: 10; selected revisions: 5
description:

revision 1.5
date: 1995/01/18 18:24:38; author: wingard; state: Exp; lines: +5 -3
Add whats_new and documentation overview
Improve doc.h macros

revision 1.4
date: 1995/01/17 19:18:24; author: wingard; state: Exp; lines: +1 -1
AAARGGGH Fourth try

revision 1.3
date: 1995/01/17 19:17:56; author: wingard; state: Exp; lines: +1 -1
Third try at getting CVS \$Id\$ string right...

revision 1.2
date: 1995/01/17 19:16:35; author: wingard; state: Exp; lines: +1 -1
Fix RCS version info string so it doesn't take up so much space

revision 1.1
date: 1995/01/17 18:54:31; author: wingard; state: Exp;
Beginnings of the HTML documentation scheme. More to come...

=====

RCS file: /p/cvsroot/atlas2/doc/Attic/doc.h,v
working file: atlas2/doc/doc.h
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.2
date: 1995/01/18 18:24:40; author: wingard; state: Exp; lines: +4 -1
Add whats_new and documentation overview
Improve doc.h macros

revision 1.1

bu Jan 17-23 1995.log
date: 1995/01/17 18:54:33; author: wingard; state: Exp;
Beginnings of the HTML documentation scheme. More to come...

RCS file: /p/cvsroot/atlas2/doc/Attic/documentation.ht,v
working file: atlas2/doc/documentation.ht
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.2
date: 1995/01/19 17:58:01; author: wingard; state: Exp; lines: +4 -4
Fix URL to HTML Primer...

revision 1.1
date: 1995/01/18 18:24:42; author: wingard; state: Exp;
Add whats_new and documentation overview
Improve doc.h macros

RCS file: /p/cvsroot/atlas2/doc/Attic/whats_new.ht,v
working file: atlas2/doc/whats_new.ht
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/18 18:24:44; author: wingard; state: Exp;
Add whats_new and documentation overview
Improve doc.h macros

RCS file: /p/cvsroot/atlas2/ged/xv/xvandff17qm/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvandff17qm/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:32:34; author: ong; state: Exp;
initial check in of stdcell template schematic

RCS file: /p/cvsroot/atlas2/ged/xv/xvandff17qm/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvandff17qm/spice_cn.1.1
head: 1.1
branch:
locks: strict

bu Jan 17-23 1995.log

access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:32:36; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvandffb17qm/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvandffb17qm/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 22:05:29; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvandffb17qm/Attic/body.2.1,v
Working file: atlas2/ged/xv/xvandffb17qm/body.2.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 22:05:31; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvandffb17qm/Attic/spice.1.1,v
Working file: atlas2/ged/xv/xvandffb17qm/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 22:05:33; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvandffb17qm/Attic/spice_cn.1.1,v
Working file: atlas2/ged/xv/xvandffb17qm/spice_cn.1.1
head: 1.1
branch:

bu Jan 17-23 1995.log

locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 22:05:35; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvandlb17qm/Attic/body.1.1,v
working file: atlas2/ged/xv/xvandlb17qm/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:32:45; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvandlb17qm/Attic/body.2.1,v
working file: atlas2/ged/xv/xvandlb17qm/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.2
date: 1995/01/21 22:05:39; author: ong; state: Exp; lines: +66 -66
New bodies added or bodies modified
=====

revision 1.1
date: 1995/01/21 19:32:47; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvandlb17qm/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvandlb17qm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:32:41; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

bu Jan 17-23 1995.log

RCS file: /p/cvsroot/atlas2/ged/xv/xvand1b17qm/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvand1b17qm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:32:43; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvffbqm/Attic/body.1.1,v
working file: atlas2/ged/xv/xvffbqm/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 22:05:42; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvffbqm/Attic/body.2.1,v
working file: atlas2/ged/xv/xvffbqm/body.2.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 22:05:44; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvffbqm/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvffbqm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.2
date: 1995/01/21 22:05:46; author: ong; state: Exp; lines: +3 -3
New bodies added or bodies modified

bu Jan 17-23 1995.log

revision 1.1
date: 1995/01/21 19:32:52; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvffbqm/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvffbqm/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:32:54; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvinvnm/Attic/body.1.1,v
working file: atlas2/ged/xv/xvinvnm/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:33:02; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvinvnm/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvinvnm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:32:58; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvinvnm/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvinvnm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1

bu Jan 17-23 1995.log

description:

revision 1.1

date: 1995/01/21 19:33:00; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvlataqm/Attic/body.1.1,v

working file: atlas2/ged/xv/xvlataqm/body.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.2

date: 1995/01/21 22:05:50; author: ong; state: Exp; lines: +18 -18

New bodies added or bodies modified
=====

revision 1.1

date: 1995/01/21 19:33:10; author: ong; state: Exp;

initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvlataqm/Attic/body.2.1,v

working file: atlas2/ged/xv/xvlataqm/body.2.1

head: 1.1

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 1.1

date: 1995/01/21 22:05:52; author: ong; state: Exp;

New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvlataqm/Attic/spice.1.1,v

working file: atlas2/ged/xv/xvlataqm/spice.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 1.1

date: 1995/01/21 19:33:07; author: ong; state: Exp;

initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvlataqm/Attic/spice_cn.1.1,v

working file: atlas2/ged/xv/xvlataqm/spice_cn.1.1

head: 1.2

branch:

bu Jan 17-23 1995.log

locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:33:09; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvlatbqm/Attic/body.1.1,v
working file: atlas2/ged/xv/xvlatbqm/body.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.2
date: 1995/01/21 22:05:55; author: ong; state: Exp; lines: +19 -19
New bodies added or bodies modified

revision 1.1
date: 1995/01/21 19:33:20; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvlatbqm/Attic/body.2.1,v
working file: atlas2/ged/xv/xvlatbqm/body.2.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 22:05:57; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvlatbqm/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvlatbqm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:33:16; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

bu Jan 17-23 1995.log

RCS file: /p/cvsroot/atlas2/ged/xv/xvlatbqm/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvlatbqm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:33:18; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8nm/Attic/body.1.1,v
working file: atlas2/ged/xv/xvmux8nm/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 22:06:01; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8nm/Attic/body.2.1,v
working file: atlas2/ged/xv/xvmux8nm/body.2.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 22:06:02; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8nm/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvmux8nm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:33:25; author: ong; state: Exp;
initial check in of stdcell template schematic

```
=====
RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8nm/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvmux8nm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/01/21 19:33:27; author: ong; state: Exp;
initial check in of stdcell template schematic
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8qm/Attic/body.1.1,v
working file: atlas2/ged/xv/xvmux8qm/body.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.2
date: 1995/01/21 22:06:06; author: ong; state: Exp; lines: +45 -45
New bodies added or bodies modified
-----
```

```
revision 1.1
date: 1995/01/21 19:33:36; author: ong; state: Exp;
initial check in of stdcell template schematic
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8qm/Attic/body.2.1,v
working file: atlas2/ged/xv/xvmux8qm/body.2.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/01/21 22:06:07; author: ong; state: Exp;
New bodies added or bodies modified
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8qm/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvmux8qm/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
```

bu Jan 17-23 1995.log

description:

revision 1.1

date: 1995/01/21 19:33:32; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8qm/Attic/spice_cn.1.1,v

working file: atlas2/ged/xv/xvmux8qm/spice_cn.1.1

head: 1.1

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 1.1

date: 1995/01/21 19:33:34; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmuxff8nm/Attic/body.1.1,v

working file: atlas2/ged/xv/xvmuxff8nm/body.1.1

head: 1.1

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 1.1

date: 1995/01/21 22:06:11; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmuxff8nm/Attic/body.2.1,v

working file: atlas2/ged/xv/xvmuxff8nm/body.2.1

head: 1.1

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 1.1

date: 1995/01/21 22:06:12; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmuxff8nm/Attic/spice.1.1,v

working file: atlas2/ged/xv/xvmuxff8nm/spice.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

bu Jan 17-23 1995.log
total revisions: 2; selected revisions: 2
description:

revision 1.2
date: 1995/01/21 22:06:14; author: ong; state: Exp; lines: +31 -40
New bodies added or bodies modified

revision 1.1
date: 1995/01/21 19:33:40; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmuxff8nm/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvmuxff8nm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.2
date: 1995/01/21 22:06:16; author: ong; state: Exp; lines: +66 -66
New bodies added or bodies modified

revision 1.1
date: 1995/01/21 19:33:43; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux1b8nm/Attic/body.1.1,v
working file: atlas2/ged/xv/xvmux1b8nm/body.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 1.2
date: 1995/01/21 22:06:19; author: ong; state: Exp; lines: +54 -53
New bodies added or bodies modified

revision 1.1
date: 1995/01/21 19:33:53; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux1b8nm/Attic/body.2.1,v
working file: atlas2/ged/xv/xvmux1b8nm/body.2.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

bu Jan 17-23 1995.log

revision 1.1

date: 1995/01/21 22:06:21; author: ong; state: Exp;
New bodies added or bodies modified

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux1b8nm/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvmux1b8nm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1

date: 1995/01/21 19:33:48; author: ong; state: Exp;
initial check in of stdcell template schematic

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux1b8nm/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvmux1b8nm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1

date: 1995/01/21 19:33:50; author: ong; state: Exp;
initial check in of stdcell template schematic

RCS file: /p/cvsroot/atlas2/ged/xv/xvnand4nm/Attic/body.1.1,v
working file: atlas2/ged/xv/xvnand4nm/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1

date: 1995/01/21 22:06:24; author: ong; state: Exp;
New bodies added or bodies modified

RCS file: /p/cvsroot/atlas2/ged/xv/xvnand4nm/Attic/body.2.1,v
working file: atlas2/ged/xv/xvnand4nm/body.2.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

bu Jan 17-23 1995.log

revision 1.1
date: 1995/01/21 22:06:26; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvnand4nm/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvnand4nm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:33:57; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvnand4nm/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvnand4nm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:33:59; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvnor4nm/Attic/body.1.1,v
working file: atlas2/ged/xv/xvnor4nm/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 22:06:29; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvnor4nm/Attic/body.2.1,v
working file: atlas2/ged/xv/xvnor4nm/body.2.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1

bu Jan 17-23 1995.log

description:

revision 1.1

date: 1995/01/21 22:06:31; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvnr4nm/Attic/spice.1.1,v

working file: atlas2/ged/xv/xvnr4nm/spice.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 1.1

date: 1995/01/21 19:34:04; author: ong; state: Exp;

initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvnr4nm/Attic/spice_cn.1.1,v

working file: atlas2/ged/xv/xvnr4nm/spice_cn.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 1.1

date: 1995/01/21 19:34:06; author: ong; state: Exp;

initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvor1a17qm/Attic/body.1.1,v

working file: atlas2/ged/xv/xvor1a17qm/body.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 1.2

date: 1995/01/21 22:06:34; author: ong; state: Exp; lines: +70 -70

New bodies added or bodies modified

revision 1.1

date: 1995/01/21 19:34:15; author: ong; state: Exp;

initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvor1a17qm/Attic/body.2.1,v

working file: atlas2/ged/xv/xvor1a17qm/body.2.1

head: 1.1

branch:

bu Jan 17-23 1995.log

locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 22:06:36; author: ong; state: Exp;
New bodies added or bodies modified
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvor1a17qm/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvor1a17qm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:34:11; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvor1a17qm/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvor1a17qm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/21 19:34:13; author: ong; state: Exp;
initial check in of stdcell template schematic
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/run_bltns,v
working file: c_tests/tcc_builtins/run_bltns
head: 1.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 1.2
date: 1995/01/20 00:33:59; author: claseman; state: Exp; lines: +5 -3
sets explicit path
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/run_opt_bltns,v
working file: c_tests/tcc_builtins/run_opt_bltns
head: 1.6

bu Jan 17-23 1995.log

```
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;    selected revisions: 1
description:
-----
revision 1.2
date: 1995/01/20 00:34:01;  author: claseman;  state: Exp;  lines: +4 -2
sets explicit path
```

```
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gadd16.s,v
working file: c_tests/tcc_builtins/src/_gadd16.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/01/22 02:46:42;  author: claseman;  state: Exp;
initial revision
```

```
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gadd8.s,v
working file: c_tests/tcc_builtins/src/_gadd8.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/01/22 02:46:44;  author: claseman;  state: Exp;
initial revision
```

```
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gcopy1.s,v
working file: c_tests/tcc_builtins/src/_gcopy1.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/01/22 02:46:46;  author: claseman;  state: Exp;
initial revision
```

```
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gcopy16.s,v
working file: c_tests/tcc_builtins/src/_gcopy16.s
```

bu Jan 17-23 1995.log

```
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/01/22 02:46:48; author: claseman; state: Exp;
initial revision
=====
```

```
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gcopy2.s,v
working file: c_tests/tcc_builtins/src/_gcopy2.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/01/22 02:46:50; author: claseman; state: Exp;
initial revision
=====
```

```
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gcopy32.s,v
working file: c_tests/tcc_builtins/src/_gcopy32.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/01/22 02:46:52; author: claseman; state: Exp;
initial revision
=====
```

```
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gcopy4.s,v
working file: c_tests/tcc_builtins/src/_gcopy4.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/01/22 02:46:54; author: claseman; state: Exp;
initial revision
=====
```

```
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gcopy64.s,v
```

bu Jan 17-23 1995.log
working file: c_tests/tcc_builtins/src/_gcopy64.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:46:55; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gcopy8.s,v
working file: c_tests/tcc_builtins/src/_gcopy8.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:46:57; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gmul16.s,v
working file: c_tests/tcc_builtins/src/_gmul16.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:46:59; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gmul8.s,v
working file: c_tests/tcc_builtins/src/_gmul8.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:47:01; author: claseman; state: Exp;
initial revision
=====

bu Jan 17-23 1995.log
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gmuladd16.s,v
working file: c_tests/tcc_builtins/src/_gmuladd16.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:47:03; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gmuladd8.s,v
working file: c_tests/tcc_builtins/src/_gmuladd8.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:47:05; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gsub16.s,v
working file: c_tests/tcc_builtins/src/_gsub16.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:47:06; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gsub8.s,v
working file: c_tests/tcc_builtins/src/_gsub8.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:47:08; author: claseman; state: Exp;
initial revision
=====

bu Jan 17-23 1995.log

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gswap1.s,v
working file: c_tests/tcc_builtins/src/_gswap1.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:47:10; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gswap16.s,v
working file: c_tests/tcc_builtins/src/_gswap16.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:47:12; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gswap2.s,v
working file: c_tests/tcc_builtins/src/_gswap2.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:47:13; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gswap32.s,v
working file: c_tests/tcc_builtins/src/_gswap32.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:47:15; author: claseman; state: Exp;
initial revision

```
=====
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gswap4.s,v
working file: c_tests/tcc_builtins/src/_gswap4.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/01/22 02:47:17;  author: claseman;  state: Exp;
initial revision
=====
```

```
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gswap64.s,v
working file: c_tests/tcc_builtins/src/_gswap64.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/01/22 02:47:19;  author: claseman;  state: Exp;
initial revision
=====
```

```
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gswap8.s,v
working file: c_tests/tcc_builtins/src/_gswap8.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/01/22 02:47:21;  author: claseman;  state: Exp;
initial revision
=====
```

```
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gmul16.s,v
working file: c_tests/tcc_builtins/src/_gmul16.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/01/22 02:47:23;  author: claseman;  state: Exp;
```

bu Jan 17-23 1995.log

initial revision

```
=====
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gumul8.s,v
working file: c_tests/tcc_builtins/src/_gumul8.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/01/22 02:47:25; author: claseman; state: Exp;
initial revision
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gumuladd16.s,v
working file: c_tests/tcc_builtins/src/_gumuladd16.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/01/22 02:47:26; author: claseman; state: Exp;
initial revision
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gumuladd8.s,v
working file: c_tests/tcc_builtins/src/_gumuladd8.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/01/22 02:47:28; author: claseman; state: Exp;
initial revision
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gadd16.c,v
working file: c_tests/tcc_builtins/src/gadd16.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
```

bu Jan 17-23 1995.log
date: 1995/01/22 02:45:54; author: claseman; state: Exp;
initial revision

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gadd8.c,v
working file: c_tests/tcc_builtins/src/gadd8.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:45:57; author: claseman; state: Exp;
initial revision

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gcopy1.c,v
working file: c_tests/tcc_builtins/src/gcopy1.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:45:58; author: claseman; state: Exp;
initial revision

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gcopy16.c,v
working file: c_tests/tcc_builtins/src/gcopy16.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:46:00; author: claseman; state: Exp;
initial revision

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gcopy2.c,v
working file: c_tests/tcc_builtins/src/gcopy2.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

bu Jan 17-23 1995.log

revision 1.1
date: 1995/01/22 02:46:02; author: claseman; state: Exp;
initial revision

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gcopy2.s,v
working file: c_tests/tcc_builtins/src/gcopy2.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:47:30; author: claseman; state: Exp;
initial revision

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gcopy32.c,v
working file: c_tests/tcc_builtins/src/gcopy32.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:46:04; author: claseman; state: Exp;
initial revision

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gcopy4.c,v
working file: c_tests/tcc_builtins/src/gcopy4.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:46:06; author: claseman; state: Exp;
initial revision

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gcopy64.c,v
working file: c_tests/tcc_builtins/src/gcopy64.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

bu Jan 17-23 1995.log

revision 1.1
date: 1995/01/22 02:46:07; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gcopy8.c,v
working file: c_tests/tcc_builtins/src/gcopy8.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:46:09; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gmul16.c,v
working file: c_tests/tcc_builtins/src/gmul16.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:46:11; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gmul8.c,v
working file: c_tests/tcc_builtins/src/gmul8.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:46:13; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gmuladd16.c,v
working file: c_tests/tcc_builtins/src/gmuladd16.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1

bu Jan 17-23 1995.log

description:

revision 1.1
date: 1995/01/22 02:46:15; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gmuladd8.c,v
working file: c_tests/tcc_builtins/src/gmuladd8.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:46:16; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gsub16.c,v
working file: c_tests/tcc_builtins/src/gsub16.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:46:18; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gsub8.c,v
working file: c_tests/tcc_builtins/src/gsub8.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:46:20; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gswap1.c,v
working file: c_tests/tcc_builtins/src/gswap1.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv

bu Jan 17-23 1995.log
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:46:22; author: claseman; state: Exp;
initial revision

=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gswap1.s,v
working file: c_tests/tcc_builtins/src/gswap1.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:47:32; author: claseman; state: Exp;
initial revision

=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gswap16.c,v
working file: c_tests/tcc_builtins/src/gswap16.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:46:24; author: claseman; state: Exp;
initial revision

=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gswap2.c,v
working file: c_tests/tcc_builtins/src/gswap2.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:46:26; author: claseman; state: Exp;
initial revision

=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gswap32.c,v
working file: c_tests/tcc_builtins/src/gswap32.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:

bu Jan 17-23 1995.log

keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:46:28; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gswap4.c,v
Working file: c_tests/tcc_builtins/src/gswap4.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:46:30; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gswap64.c,v
Working file: c_tests/tcc_builtins/src/gswap64.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:46:32; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gswap8.c,v
Working file: c_tests/tcc_builtins/src/gswap8.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/01/22 02:46:33; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gumul16.c,v
Working file: c_tests/tcc_builtins/src/gumul16.c
head: 1.1
branch:
locks: strict
access list:

bu Jan 17-23 1995.log

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 1.1

date: 1995/01/22 02:46:35; author: claseman; state: Exp;

initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gumul8.c,v

working file: c_tests/tcc_builtins/src/gumul8.c

head: 1.1

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 1.1

date: 1995/01/22 02:46:37; author: claseman; state: Exp;

initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gumuladd16.c,v

working file: c_tests/tcc_builtins/src/gumuladd16.c

head: 1.1

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 1.1

date: 1995/01/22 02:46:39; author: claseman; state: Exp;

initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gumuladd8.c,v

working file: c_tests/tcc_builtins/src/gumuladd8.c

head: 1.1

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 1.1

date: 1995/01/22 02:46:41; author: claseman; state: Exp;

initial revision
=====

-